

# Construction Catalog



**progressivesolutions**  
corporation

# Index

- + Kleen Kote 100 Concentrate
- + Kleen Kote 100 Ready To Use
  - + Kleen Kote 108 Asphalt Release
  - + Kleen Kote 108 Equipment Protection
  - + Kleen Kote 108 Mud and Mining
  - + Kleen Kote 111 Concrete Form Release
  - + Kleen Kote 111 Bond Breaker
  - + Kleen Kote 111 Equipment Protection
  - + Kleen Kote 115 Concrete Form Release+ Kleen Krete
- + Kleen Krete
- + Real Pump Power Spraying System
- + Real Pump EXPRESS Portable Power Spraying System
- + Power Sprayer Extras
  - + Extensions & Wands
  - + Poly Spray Parts
  - + Hoses
  - + Spray Gun Control
  - + Spray Tips & Nozzles
  - + Power Sprayer Kits
  - + Telescoping Spray Lance
- + Accessories
  - + High Pressure Injector Kit for Power Washers

# KLEEN KOTE

100

## Construction Solutions



## THE KLEENKOTE ADVANTAGE

Known for its versatility on the jobsite, KLEEN KOTE is used for keeping mud from sticking to your equipment, as a concrete form release and tilt-up bond breaker, an asphalt release, equipment protection and more. When mixed, KLEEN KOTE deposits a very thin film, creating a virtually non-stick surface that is non-toxic, non-staining, non-dusting, low V.O.C. AND acts as a corrosion inhibitor. Check out our KLEEN KOTE Usage Suggestions for a list of applications.



### Industry Leader

For over 17 years KLEEN KOTE has been known as one of the original, eco-friendly water-based release products for the construction industry. KLEEN KOTE has proven to be an innovative and quality product for all facets of the construction process.

With its many applications, including asphalt, concrete, mining, hauling, and equipment protection KLEEN KOTE has stood the test of time. KLEEN KOTE is the ONLY fully adjustable release product on the market today, adjusting from 1 to 1 through 1 to 75, depending on your application.

### Available Sizes:

- 32 ounce
- 1 gallon
- 3.5 gallon
- 5 gallon
- 275 gallon tote
- 6-32 oz. case
- 4-1 gallon case
- 4.5 gallon
- 55 gallon



**MEETS THE ARMY CORP OF  
ENGINEERS SPECIFICATIONS**



**CERTIFIED BIODEGRADABLE  
AND LOW V.O.C. 13-17 g/L**

### Easy to Use

- ✓ Add 1/2 the required water, the required amount of KLEEN KOTE and the rest of the water and it is ready to use.
- ✓ Safe for use on all surface types: wood, metal, plastic, foam, rubber, glass, motors, electrical wiring.
- ✓ Safe for employees: no special equipment, clothing, tools or mixing are needed.

### Environmentally Safe

- ✓ Does not contain any silicones, solvents or phosphates.
- ✓ Non-toxic, water-soluble, low odor and V.O.C. compliant.
- ✓ Non-dusting, non-staining

### Economical

- ✓ This is the one adjustable water-based product for use in multiple jobsite applications.
- ✓ The concentrate formula reduces waste and shipping costs by 8 to 20 times that of conventional products.
- ✓ One gallon of concentrate mixed at 1 to 11 with water makes 12 gallons of mixed ready-to-use product with an average coverage ratio of 2,000 sq. ft. per gallon.

### Durable Protectant

- ✓ KLEEN KOTE will not rinse off in rain, snow or ice\*, saving time and money on the jobsite.
- ✓ KLEEN KOTE also acts as a rust inhibitor, protecting equipment while on the site, during use, in transit, seasonal layup or storage.

\*KLEEN KOTE cannot be applied in the rain, snow or ice and must flash off before exposed to rain, snow or ice.

Manufactured by:  
**progressivesolutions**  
Corporation



# KLEEN KOTE 100 USES AND MIXING GUIDE

These are the primary applications and suggested mix ratios for KLEEN KOTE. The ratios can be varied up or down according to your results. You can visit us on the web to view and print instruction sheets that are specific to your application. For best results, mix dilutions in a clean, empty container. If you have any questions regarding a particular application or mix ratio, please feel free to contact customer support.






Agricultural Equipment	1 to 8 - 1 to 10	Liquid Mask	1 to 11
All Equipment	1 to 8	Painting Equipment	1 to 10
Asphalt Equipment, Pavers & Trucks	1 to 8 - 1 to 11	Precast Concrete Industry	Varies
Boring and Tunneling Equipment	1 to 8 - 1 to 11	Printing Industry	1 to 8
Concrete Equipment	1 to 11	Ready-Mix Trucks	1 to 11
Concrete Pumping and Belt Trucks	1 to 11	Rental Equipment	1 to 11
Construction Equipment	1 to 11	Sawing and Planing Equipment	1 to 10 - 1 to 50
Hand Tools	1 to 11	Snow Removal and Hauling Equipment	1 to 8
Vehicle Protectant and Polish	1 to 15	Tilt Up Concrete	1 to 11
Concrete Forms & Formliners — Steel, Aluminum, Polystyrene foam, ABS plastic, Urethane Elastomeric liners, fiberglass, HDO plywood	1 to 15	Trucks, Buses, Trains, Etc...	1 to 11
		Concrete Forms — Wood Forms, Plywood forms — LDO & MDO, EPS Foam	1 to 11

\*Ratios are KLEEN KOTE to WATER

Scan for tips, uses,  
instructions and more ☺



## MIXING GUIDE CHART

Container  Ratio 	 32 Ounce Spray Bottle	 3 Gallon Container	 55 Gallon Drum
1 to 4	3.5 oz of Kleen Kote & 28.5 oz of water	43 oz of Kleen Kote & 2.67 gallons of water	6 gallons of Kleen Kote & 49 gallons of water
1 to 8	3.5 oz of Kleen Kote & 28.5 oz of water	43 oz of Kleen Kote & 2.67 gallons of water	6 gallons of Kleen Kote & 49 gallons of water
1 to 10	3 oz of Kleen Kote & 29 oz of water	35 oz of Kleen Kote & 2.70 gallons of water	5 gallons of Kleen Kote & 50 gallons of water
1 to 11	2.5 oz of Kleen Kote & 29.5 oz of water	32 oz of Kleen Kote & 2.75 gallons of water	4.5 gallons of Kleen Kote & 50.5 gallons of water
1 to 15	2 oz of Kleen Kote & 30 oz of water	24 oz of Kleen Kote & 2.8 gallons of water	3.5 gallons of Kleen Kote & 51.5 gallons of water





## KLEEN KOTE 108 - ASPHALT RELEASE

KLEEN KOTE 108 Asphalt Release is a biodegradable, water-based release agent. Unlike petroleum or vegetable oil based products which dissolve and destroy paved surfaces, KK108 creates a thin, colorless barrier between the asphalt and equipment surface. Formulated with a corrosion inhibitor, KK108 protects the surface while creating a clean release of asphalt materials from equipment, vehicles, truck beds, pavers, machines, and rollers without an adverse effect to the asphalt.



### BENEFITS

- Biodegradable, water-based, low-odor
- Does not contain any solvents, silicones or phosphates
- Low V.O.C.--17 g/L
- Safe for use on all types of surfaces
- No special equipment or clothing required
- Safe for all types of asphalt mixes
- Won't rinse off in rain, protects against corrosion

### AVAILABLE SIZES:

- 5 gallon pail
- 55 gallon drum
- 275 gallon tote\*

*\*totes are reusable*

### EFFECTIVE ON:

- Dump beds
- Hauling trucks
- Conveyor systems
- Belting systems
- Silos
- Drag slats
- Pneumatic tire rollers
- Steel rollers
- Pavers
- Machines
- Asphalt material handling equipment & more

Manufactured by:  
**progressivesolutions**  
corporation



## KLEEN KOTE 108 - EQUIPMENT PROTECTION

The ultimate protection, KLEEN KOTE 108 is a long-lasting, biodegradable release agent formulated with corrosion-inhibitors to withstand the demands of the job. KK108 creates a thin, colorless barrier on the surface of equipment, machinery and tools. It is designed for use all on types of surfaces to repel: mud, debris, yard waste, mulch, fertilizer, snow, ice and more. Protect your equipment and extend its useful life during: use, storage, transit, export and seasonal lay-ups.



### BENEFITS

- Safe for use on all types of surfaces--rubber, metal, plastic, electrical/wiring, glass, wood, motors
- No special equipment or clothing required for application
- Outlasts rain and snow--works until the job is complete
- Environmentally safe, biodegradable--does not contain any solvents, silicones or phosphates
- Water-based, low odor
- Low V.O.C.-- 17 g/L
- Prevents corrosion caused by salt, fertilizer and the environment
- Protects equipment during: use, storage, transit, export, preservation and seasonal lay-up

### AVAILABLE SIZES:

- 5 gallon pail
- 55 gallon drum
- 275 gallon tote\*

*\*totes are reusable*

### EFFECTIVE ON:

- Dump beds
- Hauling trucks
- Snow removal equipment
- Plow blades
- Salt throwers/spreaders
- Lawn mowers
- Hand tools
- Heavy equipment
- Chippers
- Hardscape equipment/tools
- Recreational equipment/vehicles
- Paint overspray

Manufactured by:  
**progressivesolutions**  
corporation





## KLEEN KOTE 108 - MUD & MINING RELEASE

100% biodegradable, non-toxic and water-based, KLEEN KOTE 108 provides durable and long lasting protection against corrosion, build-up on equipment and tools, and prevents deadbed. It creates a thin, virtually invisible, non-stick film on all types of equipment surfaces in the mining industry. KK108 is proven to reduce downtime, eliminate buildup and increase productivity with no damaging effect to employees, the environment or mined material.



### BENEFITS

- 100% Eco-friendly--Non-toxic, biodegradable, low-odor
- Low V.O.C. -- 17 g/L and does not contain any solvents, silicones or phosphates
- Safe for use on all types of surfaces: metal, wood, rubber, glass, plastic, concrete, electrical/wiring
- Safe for employees-- no special equipment or clothing required
- Safe for all types of mining
- Durable--out lasts rain and environmental changes, reduces corrosion
- Reduces downtime and costs associated with cleaning of trucks, beds and equipment
- Increased productivity due to less downtime

### AVAILABLE SIZES:

- 5 gallon pail
  - 55 gallon drum
  - 275 gallon tote\*
- \*totes are reusable*

### EFFECTIVE ON:

- Dump beds
- Hauling trucks
- Undercarriages
- Conveyor systems
- Belting systems
- Chutes
- Skid steer loaders
- Buckets
- Hoppers
- Skips
- Cranes
- Crushing stations
- Handheld tools & more





### KLEEN KOTE 111 - CONCRETE FORM RELEASE

KLEEN KOTE 111 has been the premier concrete form release for over 17 years. Designed for porous forms, this ready-to-use, eco-friendly release agent does not require any measuring/mixing, special equipment, clothing or tools. It is water-based, low V.O.C. (15 g/L) and does not contain any silicones, solvents or phosphates. Depositing a very thin film, KK111 creates a virtually non-stick surface that is non-dusting, non-staining to provide an excellent finished surface ready to be stained or painted if required. KK111 will not rinse off in rain or inclement weather\*, making it one of the most durable, safe and cost effective form releases to use!

*\*KK111 must flash off BEFORE exposed to rain or inclement weather to be effective.*



#### BENEFITS

- Easy to use--no measuring or mixing, ready to use!
- Safe for employees--no special equipment or clothing required
- 100% Eco-friendly--non-toxic, bio-degradable, water-soluble, low-odor
- Low V.O.C. -- 15 g/L and does not contain any solvents, silicones or phosphates
- Safe for use on all types of forms
- Durable--outlasts rain and environmental changes
- Non-staining, non-dusting

#### AVAILABLE SIZES:

- 5 gallon pail
- 55 gallon drum
- 275 gallon tote\*

*\*totes are reusable*

#### EFFECTIVE ON:

- Wood
- Plywood:
  - LDO
  - MDO
  - \*HDO - REQUIRES KK115 FOR THESE FORMS
- EPS foam
- Liquid mask to prevent concrete splatters from sticking to surfaces adjacent to the pour

Manufactured by:  
**progressivesolutions**  
corporation





## KLEEN KOTE 111 - BOND BREAKER

Known for producing a clean and positive release, KK111 Bond Breaker is a ready-to-use, reactive barrier for tilt up panels. It has been proven to be one of the most effective AND eco-friendly products available. KK111 is non-staining, non-dusting, non-toxic, low V.O.C. and does not contain silicones, solvents or phosphates. It is fast drying and will not rinse off in the rain\*, making it one of the most durable, safe and cost effective bond breakers in the industry.

*\*KK111 must turn from white to clear PRIOR to exposure to rain in order to be effective.*

### BENEFITS

- Easy to use--no measuring and mixing, KK111 is ready to use!\*
- Produces uniform panel surfaces
- Creates a surface ready for paint, sealer and adhesives
- Minimizes panel surface defects and associated patching
- Prevents Osmotic Effect
- Non-staining, non-dusting
- 100% Eco-friendly--non-toxic, bio-degradable, water-soluble, low-odor
- Low V.O.C. -- 15 g/L and does not contain any solvents, silicones or phosphates
- Safe for employees-- no special equipment or clothing required
- Durable--out lasts rain and environmental changes

*\*Do not expose KK111 to extreme temperatures, or allow it to freeze. This may cause the product to become ineffective.*

*\*KK111 cannot be dispensed with or in a container that has contained diesel, fuels, oil, acids or other release agents.*

### AVAILABLE SIZES:

- 5 gallon pail
  - 55 gallon drum
  - 275 gallon tote\*
- \*totes are reusable*

***Call for personalized assistance  
and instructions prior to use.***

Manufactured by:  
**progressivesolutions**  
corporation





## KLEEN KOTE 111 - EQUIPMENT PROTECTION

The ultimate protection, KLEEN KOTE 111 is a long-lasting, biodegradable release agent formulated with corrosion-inhibitors to withstand the demands of the job. KK111 creates a thin, colorless barrier on the surface of equipment, machinery and tools. It is designed for use all on types of surfaces to repel: slurry, concrete, concrete splatter, mud, debris, paint build up, paint splatter and more. Protect your equipment and extend its useful life during use, storage, transit, export and seasonal lay-ups.



### BENEFITS

- Safe for use on all types of surfaces: rubber, metal, plastic, electrical/wiring, glass, wood, motors
- Safe for employees: no special equipment or clothing required for application
- Out lasts rain and snow--works until the job is complete
- Environmentally safe, biodegradable: does not contain any solvents, silicones or phosphates
  - Non-toxic, water-based, low odor
  - Low V.O.C.--15 g/L
- Prevents corrosion caused by salt, fertilizer, the environment and climate changes
- Protects equipment during: use, storage, transit, export, preservation and seasonal lay-up

### AVAILABLE SIZES:

- 5 gallon pail
- 55 gallon drum
- 275 gallon tote\*

*\*totes are reusable*

### EFFECTIVE ON:

- Ready-mix trucks
- Concrete pumping and belt trucks
- Concrete equipment
- Construction equipment
- Hand tools
- Painting equipment
- Rental equipment/tools
- Sawing & planing equipment
- Liquid mask to prevent concrete from sticking to surfaces adjacent to the pour

Manufactured by:  
**progressivesolutions**  
corporation





## KLEEN KOTE 115 - CONCRETE FORM RELEASE

KLEEN KOTE 115 has been the premier form release for over 17 years. Formulated specifically for non-porous forms, KK115 deposits a very thin film, creating a virtually non-stick surface and is non-dusting, non-staining to provide an excellent finished surface ready to be stained or painted if required. This ready-to-use, eco-friendly release agent does not require any measuring/mixing, special equipment, clothing or tools. It is water-based, V.O.C. compliant and does not contain any silicones, solvents or phosphates. KK115 will not rinse off in rain or inclement weather\*, making it one of the most durable, safe and cost effective form releases to use!

\*KK115 must flash off BEFORE exposed to rain or inclement weather to be effective.



### BENEFITS

- Recommend by major formliner manufacturers
- Easy to use--no measuring or mixing, ready to use!
- Safe for employees--no special equipment or clothing required
- 100% Eco-friendly--non-toxic, biodegradable, water-based, low-odor
- Low V.O.C.--14 g/L and does not contain any solvents, silicones or phosphates
- Safe for use on all types of forms, formliners & molds
- Durable--outlasts rain and environmental changes
- Non-staining, non-dusting

### AVAILABLE SIZES:

- 5 gallon pail
- 55 gallon drum
- 275 gallon tote\*

*\*totes are reusable*

### EFFECTIVE ON:

- Steel
- Aluminum
- Polystyrene foam
- ABS plastic
- Urethane elastomeric liners
- Fiberglass
- HDO plywood forms

Manufactured by:  
**progressivesolutions**  
corporation





## THE KLEEN KRETE ADVANTAGE

KLEEN KRETE is a unique liquid that has the ability to remove dry, hardened concrete from virtually any surface and will not harm most surfaces when used according to directions.\* This is a ready-to-use, biodegradable product that eliminated the need for air hammering, sandblasting and scraping of hardened concrete from equipment, forms and other items that may come in contact with concrete. KLEEN KRETE is also an environmentally-friendly way to etch and clean concrete floors in preparation for application of epoxy or simply to create a non-slip surface.



### For Removing Hardened Concrete From

- Concrete forms
- Concrete & mortar mixers
- Hand tools
- Precast equipment
- Ready-mix trucks
- Saw cutting equipment
- Screeds
- Troweling machines
- Vehicles

### Other Uses

- Cleaning & etching concrete floors prior to applying epoxy coatings
- Etching concrete floors to create a non-slip surface
- As a brick wash\*

\*dilute at 1 part KLEEN KRETE to 5 parts water

### Easy To Use & Economical

- ✓ KLEEN KRETE is safer for your employees, only needing to be brushed or sprayed on the hardened concrete needing to be removed.
- ✓ It is packaged ready-to-use in 1, 5 or 55 gallon quantities and every 1 gallon bottle includes a 30" trigger sprayer.

### Environmentally Friendly

- ✓ KLEEN KRETE is the eco-friendly alternative to conventional methods of removing hardened concrete.

### Reduces Equipment Damage and Labor Costs

- ✓ By eliminating the need for air hammering, sand blasting and scraping, KLEEN KRETE reduces associated labor times, damage caused to buildings, equipment and vehicles AND helps extend the life of your equipment by keeping it clean.

### Safe For Use On Most Surfaces

- ✓ KLEEN KRETE will not damage aluminum, chrome, electrical systems, glass, paint, rubber and most other surfaces when used according to directions.



# REAL PUMP POWER SPRAYING SYSTEM

Construction Solutions



## THE REAL PUMP ADVANTAGE

The REAL PUMP is the only power spraying system on the market designed to be tough enough to replace gas engine power sprayers and easy enough on the wallet to replace pump-up can sprayers. It can easily spray from any container including 1, 5, 55 or 275 gallon sizes. Also, attach any standard garden hose to spray water, extend the suction line, or flush the unit clean.

### Designed To Spray

- Stains
- Deck Sealers & Cleaners
- Bleach Solutions
- Acids (special wand required)
- Fertilizers
- Pesticides
- Herbicides
- Cleaners
- Concrete Sealers
- Form Oils & Other Release Agents
- Curing Compounds\*
- Many other products

\*Includes white wax cures, high viscosity and high solids products. Product recirculator option available.

### Portable, Easy to Use and Versatile

- The entire unit is self-contained and weighs only 45lbs., allowing one person to easily move the unit from job to job.
- Comes with 100 ft. of 3/8" hose and hose extension kits are available for up to an additional 100 ft. so you may never have to unload or move the product you are spraying from your vehicle.
- It can spray high viscosity and high solids products and will not separate water-based products as roller pumps can.
- Use the available pressure activated re-circulator to circulate products that need continual mixing.

### Easy To Clean

- Open flow quick connect fittings allow for circulation, and the pump has the capability to purge excess contents out of the unit—both make for easy cleaning.
- The REAL PUMP re-circulates cleaning solutions for easy cleaning.

### Reliable

The REAL PUMP has a solid proven track record since 1996. That's over 17 years WITHOUT ANY RETURNS!

### Reduces Labor Costs

- Saves time by eliminating the need to stop spraying and pump up or refill your traditional can sprayer.
- Eliminates the need to stop and refuel your gas engine powered sprayer.
- Reduces time by easily spraying enough product to cover 3,600 sq. ft. in about 5 minutes at approx. 75 psi.
- It self-adjusts to the viscosity of the product being sprayed, eliminating the need for adjustments or changing of sprayer systems.
- Utilizes circuit breaker instead of fuses, protects operator and eliminates the search for replacement fuses.

### Reduces Material Costs

- The constant pressure provided eliminates wasted material from over spraying or losing your place when you stop to pump-up or refill a traditional can sprayer.
- It eliminates the need to fill up can or bottle-type sprayers, reducing the chance of spillage.
- The self-purging feature eliminates left over product being left in the hose.
- Pressure sensitive switch shuts off pump when you stop spraying to prevent bursting hoses, product separation or damage.

## Features

- All steel construction for durability
- Large rubber feet for stability
- Chemical resistant diaphragm and seals in pump and reel
- Utilizes a circuit breaker instead of fuses
- Pressure sensitive switch\*
- Ships fully assembled

\*This feature can be by-passed with our pressure activated re-circulator to continuously re-circulate and mix the product you are spraying.

### MULTIPLE POWER OPTIONS AVAILABLE

- 115V AC includes standard 9 ft. (2.7m) power cord
- 230V AC includes standard 9 ft. (2.7m) 'EU style' power cord
- 12V DC includes standard 25 ft. (7.6m) power cord w/ battery clamps

### COMPLETE SPRAY CONTROL KIT INCLUDES:

- 1 - spray control gun with comfort grip handle, quick connect fittings AND spray tip storage
- 1 - 18" (45.75cm) straight brass wand section
- 1 - 18" (45.75cm) curved brass wand section
- 4 female fan tips - 0.1gal per minute, 0.2gal per minute, 0.5gal per minute, 1gal. per minute
- 2 adjustable brass nozzles - 1 fan and 1 cone
- 100' (30.5m) safety yellow 3/8" (0.95cm) chemical-resistant hose with quick connect open flow fittings

## NEW!

**The Telescoping Spray Lance extends your reach up to 40' (12.2m) and ships completely assembled with a 1gal. per minute fan tip and an adjustable fan nozzle.**

# REAL PUMP EXPRESS

## POWER SPRAYING SYSTEM

Manufactured by:  
**progressivesolutions**  
corporation

Construction Solutions



- Portable & compact with BIG spraying power
- Fits on almost any container
- Easily mounts anywhere with multiple suction hose ports
- Easy to clean
- Reduces labor costs
- **Versatile: designed to spray:**  
Stains · Deck Sealers & Cleaners · Bleach Solutions · Acids\*  
Fertilizers · Pesticides · Herbicides · Cleaners · Concrete Sealers  
Form Oils & Other Release Agents · Curing Compounds\*

*\*Special wands required for acid.*

*\*Includes white wax cures, high viscosity & high solids products.  
The Product Recirculator (PN: 67000) should be used.*

*Easily Mounts with  
4 pre punched holes!*



## THE REAL PUMP EXPRESS ADVANTAGE

With the power of the original REAL PUMP power spraying system, The REAL PUMP EXPRESS is a compact, easily mountable pump designed to replace gas engine powered and pump up sprayers. This pump is available in 6 different, fully assembled kits, or configure your own pump from 9 different styles. It easily sprays from any container including 1, 5, 55 or 275 gallon sizes. Need to mount the pump? The unit has standard-size bolt holes and multiple suction hose ports for easy mounting to anything from walls, dollies, trucks, equipment and more.



AC Standard Kit shown.

## THE REAL PUMP EXPRESS COMPLETE KIT

Available in standard or corrosion-resistant styles,  
Each RPX kit includes:

- Option of: 12V DC, 120V AC OR 230V AC POWER
- 25 ft. chemical-resistant hose
- 2 wand extensions
- 1 control gun & tips.\*

*\*Wand extension, gun controls and tips are either Standard or Corrosion-Resistant.*

### Standard Push-On Express Wand & Tip Kit:

- 1 - 18" brass straight wand, 1 - 18" brass curved wand
- 1 - control gun with brass barb end, 1 - 1.0gpm brass fan tip
- 1 - 0.5gpm brass fan tip



*\*DRUM NOT INCLUDED.*

### Corrosion-Resistant Express Wand & Tip Kit:

- 1 - 12" poly straight wand, 1 - 18" poly curved wand, 1 - poly control gun, 1 - poly tip kit: 1 - 0.25gpm, 1 - 0.33gpm, 1 - 0.50gpm, 1 - adjustable cone nozzle

### REAL PUMP EXPRESS KITS

PN: 03200 - 12V DC STANDARD KIT  
PN: 03100 - 120V AC STANDARD KIT  
PN: 03300 - 230V AC STANDARD KIT

PN: 03201 - 12V DC CORROSION-RESISTANT KIT  
PN: 03101 - 120V AC CORROSION-RESISTANT KIT  
PN: 03301 - 230V AC CORROSION-RESISTANT KIT

Check out the Power Sprayer Extras for additional hose extension kits, guns, wands, tips & more.



*\*BATTERY, DOLLY, DRUM AND PAIL NOT INCLUDED.*



### STRAIGHT EXTENSIONS & CURVED WANDS



PN: 64001  
18in. Straight Brass Wand Extension



PN: 64011  
18in. Curved Brass Wand, Male

### POLY SPRAY PARTS



PN: 61032  
Poly Shutoff w/ 3/8in. Hose Barb



PN: 64200  
12in. Straight Poly Wand, Male



PN: 64211  
18in. Curved Poly Wand, Male



PN: 64230  
Adjustable Poly Cone Nozzle, Female



PN: 65270  
Poly Tip Kit



PN: 66200  
Poly Shutoff Assembly w/Male Quick Connect

### HOSES



PN: 01018  
100 ft. Hose, no fittings for use with barb connections



PN: 01093  
50 ft. Hose, no fittings for use with barb connections



PN: 01119  
25 ft. Hose, no fittings for use with barb connections

### SPRAY CONTROL GUNS



PN: 66400  
Brass Spray Control Gun w/ Quick Connect



PN: 61034  
Brass Spray Control Gun with Brass Bard End



PN: 66100  
Spray Control Gun w/ Quick Connect and Spray Tip Storage



PN: 66000  
Spray Control Gun w/ 3/8" SlipOn End and Spray Tip Storage



PN: 66300  
Spray Control Gun w/ Quick Connect for Telescoping Handle

### SPRAY TIPS & NOZZLES



PN: 65150  
0.1 gal per min Brass Fan Tip, Female



PN: 65100  
0.2 gal per min Brass Fan Tip, Female



PN: 65110  
0.5 gal per min Brass Fan Tip, Female



PN: 65120  
1 gal per min Brass Fan Tip, Female



PN: 65130  
Adjustable Brass Cone Nozzle, Female



PN: 65140  
Adjustable Brass Fan Tip, Female

Manufactured by:

**progressivesolutions**  
corporation

### POWER SPRAYER KITS



**PN: 69100**

REAL Pump Stock Wand Kit Includes:

- 1-18in. Curved Brass Wand, Male
- 1-18in. Straight Brass Wand Extension
- 1- 0.1 gpm 80 deg. Brass Fan Tip, Female
- 1- 0.2 gpm 80 deg. Brass Fan Tip, Female
- 1- 0.5 gpm 80 deg. Brass Fan Tip, Female
- 1-1 gpm Brass Fan Tip, Female
- 1- Adjustable Brass Cone Nozzle, Female
- 1- Adjustable Brass Fan Tip, Female



**PN: 69104**

The REAL Pump Poly Shutoff and Wand Kit Includes:

- 1-18in. Curved Poly Wand, Male
- 1-12in. Straight Poly Wand, Male
- 1-Poly Shutoff Assembly w/Male Quick Connect
- 1-Adjustable Poly Cone Nozzle, Female



**PN: 69106**

Standard Push-On *EXPRESS* Wand & Tip Kit Includes:

- 1-18in. Brass Straight Wand Extension
- 1-18in. Brass Curved Wand, Male
- 1-Control Gun with Brass Barb End
- 1-1.0gpm Brass Fan Tip
- 1-0.5gpm Brass Fan Tip



**PN: 69107**

Standard Quick Connect *EXPRESS* Wand & Tip Kit Includes:

- 1-18in. Brass Straight Wand Extension
- 1-18in. Brass Curved Wand, Male
- 1-Control Gun with Quick Connect End
- 1-1.0gpm Brass Fan Tip
- 1-0.5gpm Brass Fan Tip



**PN: 69108**

Corrosion-Resistant *EXPRESS* Wand & Tip Kit Includes:

- 1-12in. Poly Straight Wand Extension
- 1-18in. Poly Curved Wand, Male
- 1- Poly Control Gun with 3/8" Hose Barb
- 1-Poly Tip Kit including: 1-0.25gpm, 1-0.33gpm, 1-0.50gpm
- 1-Poly Adjustable Cone Nozzle



**RECIRCULATOR KIT- PN: 67000**

The pressure activated re-circulator is a must-have for spraying products that need continuous circulation. Designed for power sprayers, it has durable all brass construction and 2 (two) 5/8" hose clamps for installation.



**PN: 69101**

100 ft. Hose Extension Kit



**PN: 69102**

100 ft. Hose Replacement Kit



**PN: 69103**


50 ft. Hose Extension Kit



**PN: 69105**

25 ft. Hose Extension Kit

### TELESCOPING SPRAY LANCES



**PN: 64225**

8'-24' Adj. Spray Lance - Green

**PN: 64235**

6'-12' Adj. Spray Lance - Green

This 8lb. (3.5 kgs.) adjustable spray lance makes extended high & distance applications easy to reach up 40 feet (12.2 m). Each lance includes:

- Composite Fiberglass, telescoping pole
- Interchangeable, quick connect spray tips:
  - 1 gpm 110 deg. fan tip
  - Adjustable Cone nozzle
- Large, comfort grip spray control handle
- High impact, fully adjustable plastic spray tip holder
- Heavy duty chemical/crush resistant hose





### INJECTOR KIT- PN: 68000

Designed specifically for injecting chemicals, soaps and KLEEN KOTE into the water of your power washing system, this injector threads on to the high pressure or output side of your pump. It has 2 (two) adjustment knobs, 8 feet of chemical resistant vinyl hose and all solid brass fittings.

Providing  
**progressivesolutions**  
For Your Industry.





Providing  
**progressivesolutions**  
For Your Industry.

**progressivesolutions**  
corporation

2848 Corporate Parkway, Algonquin, IL 60102 | 800.801.7832 - 847.639.7272 | [www.4progressive.com](http://www.4progressive.com)