## Agriculture Catalog



# progressivesolutions

## Index

+ Kleen Kote 300 Concentrate

+ Real Pump Power Spraying System

+ Real Pump EXPRESS Portable Power Spraying System

+ Power Sprayer Extras

- + Extensions & Wands
- + Poly Spray Parts
- + Hoses
- + Spray Gun Control
- + Spray Tips & Nozzles
- + Power Sprayer Kits
- + Telescoping Spray Lance

+ Accessories

+ High Pressure Injector Kit for Power Washers

## progressivesolutions

## **Agriculture Solutions**

RELEASE AGENT

**CERTIFIED BIODEGRADABLE** 

AND LOW V.O.C. 13-17 g/L



## THE KLEEN KOTE ADVANTAGE

KLEEN KOTE is a biodegradable protection agent formulated with corrosion-inhibitors to withstand the demands of the job. When mixed, KLEEN KOTE creates a thin, colorless barrier on the surface of the equipment or tools. Designed for use on all types of surfaces, it prevents buildup, revives and brightens paint and protects against the threat of corrosion. Protect and preserve your equipment and tools AND extend its useful life during use, storage, transit and seasonal lay-ups. This product is non-staining, non-toxic and won't contaminate the ground or agricultural products, making it the environmentally-safe choice in protection.

# Proven Protection Solution

Originally designed for the construction industry, KLEEN KOTE has now been field-tested and proven successful in the agriculture market. It works by penetrating into the cracks and pours of the surface and filling them in—preventing buildup of fertilizers, debris, dirt, mud, salt and diesel exhaust as well as corrosion caused by use, the environment and storage.

KLEEN KOTE also eliminates the need for harsh soaps, detergents, wax or rubbing compounds. It brightens and revives old, faded paint; it preserves new paint and is safe for use on all surfaces including electrical controls and wiring.

55 gallon

\*KLEEN KOTE cannot be applied in the rain, snow or ice

& must flash off before exposed to rain, snow or ice.

### **Available Sizes:**

- 1 gallon 5 gallon
- 4-1 gallon case
- 3.5 gallon 275 gallon tote
- 4.5 gallon

### **KLEEN KOTE Works To:**

- Repel: Fertilizer, Debris, Dirt, Mud, salt and diesel exhaust
- Revive/Brighten Paint on Antique Equipment -- Protect/Preserve New Paint
- Prevent Corrosion to Equipment & Tools
- Prevent Stickage/Bulidup on Hauling & Spreading Equipment

### Easy and Safe To Use

- 🥝 Just add 1/2 the required amount of water. the required amount of KLEEN KOTE, add remaining water and it is ready to use.
- ⊘ Safe for use on all surface types: wood, metal, plastic, foam, rubber, glassm motors, electrical wiring.
- It is not harmful to the touch, requiring NO special equipment, clothing or tools for handling, application or storage.

### **Environmentally-Friendly**

- ⊘ KLEEN KOTE is free of any silicones, phosphates or solvents.
- $\ensuremath{\boldsymbol{\Theta}}$  Certified biodegradable, water-based and non-staining.
- ⊘ It will not contaminate the treated surface or any untreated surface including the ground and agricultural products. Ships in concentrate form to reduce packaging and transportation waste.

### **Economical**

- Fully water-adjustable, allowing for various types of applications.
- ⊘ The concentrate reduces costs--allowing you to mix on an as-needed basis, 5 gallons of concentrate will make 60 gallons of product
   ⊘ at a ratio of 11 to 1.

### Durable Protectant

⊘ KLEEN KOTE will not rinse off in rain<sup>\*</sup> and It withstands the severity of the environmental conditions, the demands of use in all types of weather AND holds up for the duration of exposure.

### **Extension of Product Life**

- ⊘ It protects and preserves against the potential threats caused by atmospheric damage and corrosion, corrosive environments and contaminants.
- KLEEN KOTE brightens and revives paint on old/antique equipment and protects the paint of new equipment.

### Manufactured by: progressivesolutions

ftin

2848 Corporate Parkway, Algonquin, Illinois 60102 T 847.639.7272 Toll Free 800.801.7832 www

www.4progressive.com

RELEASE AD

## **REAL PUMP OWER SPRAYING SYSTEM**

## **Agriculture Solutions**

## THE REAL PUMP ADVANTAGE

The REAL PUMP is the only power spraying system on the market designed to be tough enough to replace gas engine power sprayers and easy enough on the wallet to replace pump-up can sprayers. It can easily spray from any container including 1, 5, 55 or 275 gallon sizes. Also, attach any standard garden hose to spray water, extend the suction line, or flush the unit clean.

### **Designed To Spray**

- Stains
- Deck Sealers & Cleaners
- Bleach Solutions
- Acids (special wand required)
- Fertilizers
- Pesticides
- Herbicides
- Cleaners
- Concrete Sealers
- Form Oils & Other Release

### Agents

- Curing Compounds\*
- Many other products

\*Includes white wax cures, high viscosity and high solids products. Product recirculator option available.

### Manufactured by: progressivesolutions

### **Features**

- All steel construction for durability
- Large rubber feet for stability
- · Chemical resistant diaphragm and seals in pump and reel
- · Utilizes a circuit breaker instead of fuses
- Pressure sensitive switch\*
- · Ships fully assembled

\*This feature can by by-passed with our pressure activated re-circulator to continuously re-circulate and mix the product you are spraving

### Portable, Easy to Use and Versatile

• The entire unit is self-contained and weighs only 45lbs., allowing one person to easily move the unit from job to job.

 Comes with 100 ft. of 3/8" hose and hose extension kits are available for up to an additional 100 ft. so you may never have to unload or move the product you are spraying from your vehicle.

• It can spray high viscosity and high solids products and will not separate water-based products as roller pumps can.

• Use the available pressure activated re-circulator to circulate products that need continual mixing.

### Easy To Clean

• Open flow quick connect fittings allow for circulation, and the pump has the capability to purge excess contents out of the unit-both make for easy cleaning .

• The REAL PUMP re-circulates cleaning solutions for easy cleaning.

### Reliable

The REAL PUMP has a solid proven track record since 1996. That's over 17 years WITHOUT ANY RETURNS!

### **Reduces Labor Costs**

· Saves time by eliminating the need to stop spraying and pump up or refill your traditional can sprayer. · Eliminates the need to stop and refuel your gas engine

- powered sprayer.
- Reduces time by easily spraying enough product to cover 3,600 sq. ft. in about 5 minutes at approx. 75 psi. • It self-adjusts to the viscosity of the product being
- sprayed, eliminating the need for adjustments or changing of sprayer systems.

 Utilizes circuit breaker instead of fuses, protects operator and eliminates the search for replacement fuses.

### **Reduces Material Costs**

• The constant pressure provided eliminates wasted material from over spraying or losing your place when you stop to pump-up or refill a traditional can sprayer. • It eliminates the need to fill up can or bottle-type sprayers, reducing the chance of spillage.

• The self-purging feature eliminates left over product being left in the hose.

· Pressure sensitive switch shuts off pump when you stop spraying to prevent bursting hoses, product separation or damage.

### **MULTIPLE POWER OPTIONS AVAILABLE**

- 115V AC includes standard 9 ft. (2.7m) power cord
- 230V AC includes standard 9 ft. (2.7m) 'EU style' power cord
- 12V DC includes standard 25 ft. (7.6m) power cord w/ battery clamps
- COMPLETE SPRAY CONTROL KIT INCLUDES:
- 1 spray control gun with comfort grip handle, quick connect fittings AND spray tip storage
- 1 18" (45.75cm) straight brass wand section • 1 - 18" (45.75cm) curved brass wand section
- 4 female fan tips 0.1gal per minute, 0.2gal per minute, 0.5gal per minute ,1gal. per minute
- 2 adjustable brass nozzles 1 fan and 1 cone
- 100' (30.5m) safety yellow 3/8" (0.95cm) chemical-resistant hose with quick connect open flow fittings

The Telescoping **Spray Lance extends** your reach up to 40' (12.2m) and ships completely assembled with a 1gal. per

minute fan tip and an

adjustable fan nozzle.

## NEW!



## **Agriculture Solutions**

Portable & compact with BIG spraying power

• Easily mounts anywhere with multiple suction hose ports

Stains · Deck Sealers & Cleaners · Bleach Solutions · Acids\* Fertilizers · Pesticides · Herbicides · Cleaners · Concrete Sealers Form Oils & Other Release Agents · Curing Compounds\*

> Easily Mounts with 4 pre punched holes!

Fits on almost any container

Versatile: designed to spray:

\*Includes white wax cures, high viscosity & high solids products. The Product Recirculator (PN: 67000) should be used.

Easy to clean

Reduces labor costs

\*Special wands required for acid.

# REAL PUMP EXPRESS

### Manufactured by: progressivesolutions



## THE REAL PUMP EXPRESS ADVANTAGE

With the power of the original REAL PUMP power spraying system, The REAL PUMP *EXPRESS* is a compact, easily mountable pump designed to replace gas engine powered and pump up sprayers. This pump is available in 6 different, fully assembled kits, or configure your own pump from 9 different styles. It easily sprays from any container including 1, 5, 55 or 275 gallon sizes. Need to mount the pump? The unit has standard-size bolt holes and multiple suction hose ports for easy mounting to anything from walls, dollies, trucks, equipment and more.



AC Standard Kit shown.

### THE REAL PUMP EXPRESS COMPLETE KIT

Available in standard or corrosion-resistant styles, Each RPX kit includes:

- Option of: 12V DC, 120V AC OR 230V AC POWER
   25 ft. chemical-resistant hose
- 2 wand extensions
- 2 wand extensions
  1 control gun & tips.\*

\*Wand extension, gun controls and tips are either Standard or Corrosion-Resistant.

### Standard Push-On Express Wand & Tip Kit:

1 - 18" brass straight wand, 1-18" brass curved wand 1 - control gun with brass barb end, 1 - 1.0gpm brass fan tip 1 - 0.5gpm brass fan tip

### REAL PUMP EXPRESS KITS

PN: 03200 - 12V DC STANDARD KIT PN: 03100 - 120V AC STANDARD KIT PN: 03300 - 230V AC STANDARD KIT PN: 03201 - 12V DC CORROSION-RESISTANT KIT PN: 03101 - 120V AC CORROSION-RESISTANT KIT

Corrosion-Resistant Express Wand & Tip Kit: 1 - 12" poly straight wand, 1 - 18" poly curved wand, 1 - poly control gun, 1 - poly tip kit: 1 - 0.25gpm, 1 - 0.33gpm, 1 - 0.50gpm,

PN: 03301 - 230V AC CORROSION-RESISTANT KIT

Check out the Power Sprayer Extras for additional hose extenion kits, guns, wands, tips & more.



2848 Corporate Parkway, Algonquin, Illinois 60102

T 847.639.7272 Toll Free 80

Toll Free 800.801.7832



1 - adjustable cone nozzle



## **Agriculture Solutions**

### **STRAIGHT EXTENSIONS & CURVED WANDS**



PN: 64001 18in. Straight Brass Wand Extension

PN: 64011 18in. Curved Brass Wand, Male

### **POLY SPRAY PARTS**



PN: 61032 Poly Shutoff w/ 3/8in. Hose Barb

PN: 64200 12in. Straight Poly Wand, Male



PN: 64230

Adjustable Poly Cone Nozzle, Female

18in. Curved Poly Wand, Male



SPRAY CONTROL GUNS

PN: 66400 Brass Spray Control Gun w/ Quick Connect



PN: 61034 Brass Spray Control Gun with Brass Bard End



PN: 66100 Spray Control Gun w/ Quick Connect and Spray Tip Storage



PN: 66000 Spray Control Gun w/ 3/8" SlipOn End and Spray Tip Storage



PN: 66300 Spray Control Gun w/ Quick Connect for Telescoping Handle

PN: ( Poly T

PN: 65270 Poly Tip Kit

PN: 64211

PN: 66200 Poly Shutoff Assembly w/Male Quick Connect

### HOSES



PN: 01018 100 ft. Hose, no fittings for use with barb connections



PN: 01093 50 ft. Hose, no fittings for use with barb connections



PN: 01119 25 ft. Hose, no fittings for use with barb connections

### **SPRAY TIPS & NOZZLES**

X

PN: 65150 0.1 gal per min Brass Fan Tip, Female

PN: 65100 0.2 gal per min Brass Fan Tip, Female

PN: 65110 0.5 gal per min Brass Fan Tip, Female

PN: 65120 1 gal per min Brass Fan Tip, Female

PN: 65130 Adjustable Brass Cone Nozzle, Female

PN: 65140 Adjustable Brass Fan Tip, Female

> Manufactured by: progressivesolutions

### **POWER SPRAYER REAL PUMP REAL PUMP EXPRESS** EXTRAS

## **Agriculture Solutions**

### **POWER SPRAYER KITS**

## **TELESCOPING SPRAY LANCES**

## PN: 69100 REAL Pump Stock Wand Kit Includes:

- 1-18in. Curved Brass Wand, Male
- 1-18in. Straight Brass Wand Extension
- 1- 0.1 gpm 80 deg. Brass Fan Tip, Female
- 1-0.2 gpm 80 deg. Brass Fan Tip, Female
- 1- 0.5 gpm 80 deg. Brass Fan Tip, Female
- 1-1 gpm Brass Fan Tip, Female
- 1- Adjustable Brass Cone Nozzle, Female 1- Adjustable Brass Fan Tip, Female

### PN: 69104

The REAL Pump Poly Shutoff and Wand Kit Includes: 1-18in. Curved Poly Wand, Male 1-12in. Straight Poly Wand, Male 1-Poly Shutoff Assembly w/Male Quick Connect 1-Adjustable Poly Cone Nozzle, Female



PN: 69106 Standard Push-On *EXPRESS* Wand & Tip Kit Includes: 1-18in. Brass Straight Wand Extension 1-18in. Brass Curved Wand, Male 1-Control Gun with Brass Barb End 1-1.0gpm Brass Fan Tip 1-0.5gpm Brass Fan Tip

PN: 69107 Standard Quick Connect *EXPRESS* Wand & Tip Kit Includes: 1-18in. Brass Straight Wand Extension 1-18in. Brass Curved Wand, Male 1-Control Gun with Quick Connect End 1-1.0gpm Brass Fan Tip 1-0.5gpm Brass Fan Tip



### PN: 69108 Corrosion-Resistant EXPRESS Wand & Tip Kit Includes: 1-12in. Poly Straight Wand Extension 1-18in. Poly Curved Wand, Male 1- Poly Control Gun with 3/8" Hose Barb 1-Poly Tip Kit including: 1-0.25gpm, 1-0.33gpm, 1-0.50gpm 1-Poly Adjustable Cone Nozzle



### **RECIRCULATOR KIT- PN: 67000**

The pressure activated re-circulator is a must-have for spraying products that need continuous circulation. Designed for power sprayers, it has durable all brass construction and 2 (two) 5/8" hose clamps for installation.

PN: 69101 100 ft. Hose Extension Kit



PN: 69102 100 ft. Hose Replacement Kit







25 ft. Hose Extension Kit





PN: 64235 6'-12' Adj. Spray Lance - Green

This 8lb. (3.5 kgs.) adjustable spray lance makes extended hight & distance applications easy to reach up 40 feet (12.2 m). Each lance includes: Composite Fiberglass, telescoping pole

- Interchangable, quick connect spray tips:
- 1 gpm 110 deg. fan tip
- Adjustable Cone nozzle
- Large, comfort grip spray control handle
- High impact, fully adjustable plastic spray tip holder
- Heavy duty chemical/crush resistant hose







### INJECTOR KIT- PN: 68000

Designed specifically for injecting chemicals, soaps and KLEEN KOTE into the water of your power washing system, this injector threads on to the high pressure or output side of your pump. It has 2 (two) adjustment knobs, 8 feet of chemical resistant vinyl hose and all solid brass fittings.

Manufactured by: progressivesolutions

## Providing progressivesolutions For Your Industry.



Providing **progressivesolutions** For Your Industry.

## progressivesolutions

2848 Corporate Parkway, Algonquin, IL 60102 | 800.801.7832 - 847.639.7272 | www.4progressive.com