Maritime Catalog



progressivesolutions

Index

- + Kleen Kote 200 Concentrate
- + Kleen Krete
- + Real Pump Power Spraying System
- + Real Pump EXPRESS Portable Power Spraying System
- + Power Sprayer Extras
 - + Extensions & Wands
 - + Poly Spray Parts
 - + Hoses
 - + Spray Gun Control
 - + Spray Tips & Nozzles
 - + Power Sprayer Kits
 - + Telescoping Spray Lance
- + Accessories
 - + High Pressure Injector Kit for Power Washers



Industry Leader

If you could prepare, protect and preserve your cargo hold from staining, contamination and corrosion all with a single product, why wouldn't you?

Whether you are carrying cement powder, coal/pet coke, fertilizers, grains, salt/sulfur, or iron ore fines, you no longer have to spend excessive time and money to clean and prepare between shipments.

Ship Masters have found other areas of the vessel to protect with KLEEN KOTE--using this protective coating as a corrosion inhibitor to decrease the exposure of the ship deck, controls & equipment from corrosion caused

- Environmental Conditions
- Salt & Environmental Debris
- Staining or Damage as a Result of Cargo Loading & Unloading

Available Sizes:

- 1 Gallon
- 4-1 Gallon case
- 3.5 Gallon
- 5 Gallon
- 55 gallon
- 4.5 Gallon
- 275 Gallon Tote

Easy to Use

- No special mixing or application equipment required- add concentrate to required amount of water and the product is ready to use.
- O Eliminates the need for bulky covers and oily/waxed based coatings that need to be scraped or scrubbed off.
- **O** Because KLEEN KOTE does not leave a slick residue on sprayed surfaces, it is safe for your employees.

Environmentally Safe

- O Does not contain any silicones, solvents or phosphates.
- Non-toxic, water-soluble, low odor and V.O.C. compliant.
- Ø It does not contaminate your cargo, will not harm electrical apparatus, wiring or controls.
- O Shipped in concentrate form, it reduces packaging and storage waste.

Economical

- This is the one adjustable water-based product for use in multiple applications.
- ☑ The concentrate formula reduces waste and shipping costs by 8 to 20 times that of conventional products.
- One gallon of concentrate mixed at 8 to 1 with water makes 495 gallons (1,874 liters) of mixed ready-to-use product with an average coverage ratio of 2,000 sq. ft. (185 sq. meters) per gallon.

Durable Protectant

- KLEEN KOTE leaves a thin, clear barrier that will not rinse off in rain and protects against various environmental conditions.
- 🕝 It is a rust inhibitor that withstands the severe environmental conditions and potential threats caused by atmospheric corrosion, corrosive environments, contaminants AND holds up for the duration of exposure.

*KLEEN KOTE™ 200 cannot be applied in the rain, snow or ice and must flash off before exposed to rain, snow or ice.

Manufactured by:

progressivesolutions





Soluble salts and improper preparation are the leading cause of premature paint failure and corrosion. Cleaning and prepping the holds of your vessel between cargo loads should not be a time consuming or an unnecessarily labor-intensive task.

That is why KLEEN KRETE™ has been specially formulated to the be safe for your crew yet extremely effective. It can be used full strength or diluted to suit your needs.

KLEEN KRETE™ REMOVES:

- · Cement Powder
- Hardened Concrete
- Soluble Salts

WITHOUT THE USE OF:

- Strong & Dangerous Acid
- Special Equipment
- Scraping
- Hammering

Environmentally Friendly

② It is a biodegradable, eco-friendly concentrate that is safer than conventional methods of removing cement powder, hardened concrete and soluble salts.

Easy to Use

equipment.

Economical

- ② Reduces the amount of labor and water needed to remove cement powder, hardened concrete or soluble salts.
- ② It is packaged ready-to-use without the need for special application or clean up equipment.

Non-Hazardous

Safe for Use on Most Surfaces

surfaces when used according to directions.

Available sizes:

3.78 liter, 18.90 liter, 207.90 liter and 1,041 liter quantities. Every 3.78 liter bottle includes a 91 cm trigger sprayer.

progressivesolutions



REAL PUMP POWER SPRAYING SYSTEM



Designed To Spray

- Stains
- Deck Sealers & Cleaners
- Bleach Solutions
- Acids (special wand required)
- Fertilizers
- Pesticides
- Herbicides
- Cleaners
- Concrete Sealers
- Form Oils & Other Release Agents
- Curing Compounds*
- Many other products

*Includes white wax cures, high viscosity and high solids products. Product recirculator option available.

Manufactured by: progressivesolutions

Portable, Easy to Use and Versatile

- The entire unit is self-contained and weighs only 45lbs., allowing one person to easily move the unit from job to job.
- Comes with 100 ft. of 3/8" hose and hose extension kits are available for up to an additional 100 ft. so you may never have to unload or move the product you are spraying from your vehicle.
- It can spray high viscosity and high solids products and will not separate water-based products as roller pumps
- Use the available pressure activated re-circulator to circulate products that need continual mixing.

Easy To Clean

- Open flow quick connect fittings allow for circulation, and the pump has the capability to purge excess contents out of the unit—both make for easy cleaning.
- The REAL PUMP re-circulates cleaning solutions for easy cleaning.

Reliable

The REAL PUMP has a solid proven track record since 1996. That's over 17 years WITHOUT ANY RETURNS!

Reduces Labor Costs

- Saves time by eliminating the need to stop spraying and pump up or refill your traditional can sprayer.
- Eliminates the need to stop and refuel your gas engine powered sprayer.
- Reduces time by easily spraying enough product to cover 3,600 sq. ft. in about 5 minutes at approx. 75 psi.
- It self-adjusts to the viscosity of the product being sprayed, eliminating the need for adjustments or changing of sprayer systems.
- Utilizes circuit breaker instead of fuses, protects operator and eliminates the search for replacement fuses.

Reduces Material Costs

- The constant pressure provided eliminates wasted material from over spraying or losing your place when you stop to pump-up or refill a traditional can sprayer.
- It eliminates the need to fill up can or bottle-type sprayers, reducing the chance of spillage.
- The self-purging feature eliminates left over product being left in the hose.
- Pressure sensitive switch shuts off pump when you stop spraying to prevent bursting hoses, product separation or damage.

Features

- All steel construction for durability
- · Large rubber feet for stability
- Chemical resistant diaphragm and seals in pump and reel
- Utilizes a circuit breaker instead of
 fuses
- Pressure sensitive switch*
- · Ships fully assembled

*This feature can by by-passed with our pressure activated re-circulator to continuously re-circulate and mix the product you are spraying.

MULTIPLE POWER OPTIONS AVAILABLE

- 115V AC includes standard 9 ft. (2.7m) power cord
- 230V AC includes standard 9 ft. (2.7m) 'EU style' power cord
- 12V DC includes standard 25 ft. (7.6m) power cord w/ battery clamps

COMPLETE SPRAY CONTROL KIT INCLUDES:

- 1 spray control gun with comfort grip handle, quick connect fittings AND spray tip storage
- 1 18" (45.75cm) straight brass wand section
- 1 18" (45.75cm) curved brass wand section
- 4 female fan tips 0.1gal per minute, 0.2gal per minute, 0.5gal per minute ,1gal. per minute
- 2 adjustable brass nozzles 1 fan and 1 cone
- 100' (30.5m) safety yellow 3/8" (0.95cm) chemical-resistant hose with quick connect open flow fittings

NEW!

The Telescoping
Spray Lance extends
your reach up to 40'
(12.2m) and ships
completely assembled
with a 1gal. per
minute fan tip and an
adjustable fan nozzle.



REAL PUMP EXPRESS

Maritime Solutions



- Portable & compact with BIG spraying power
- Fits on almost any container
- Easily mounts anywhere with multiple suction hose ports
- Easy to clean
- Reduces labor costs
- · Versatile: designed to spray:

Stains · Deck Sealers & Cleaners · Bleach Solutions · Acids* Fertilizers · Pesticides · Herbicides · Cleaners · Concrete Sealers Form Oils & Other Release Agents · Curing Compounds*

> Easily Mounts with 4 pre punched holes!

*Special wands required for acid. *Includes white wax cures, high viscosity & high solids products. The Product Recirculator (PN: 67000) should be used.



With the power of the original REAL PUMP power spraying system, The REAL PUMP EXPRESS is a compact, easily mountable pump designed to replace gas engine powered and pump up sprayers. This pump is available in 6 different, fully assembled kits, or configure your own pump from 9 different styles. It easily sprays from any container including 1, 5, 55 or 275 gallon sizes. Need to mount the pump? The unit has standard-size bolt holes and multiple suction hose ports for easy mounting to anything from walls, dollies, trucks, equipment and more.



THE REAL PUMP EXPRESS COMPLETE KIT

Available in standard or corrosion-resistant styles, Each RPX kit includes:

- Option of: 12V DC, 120V AC OR 230V AC POWER
- 25 ft. chemical-resistant hose
- 1 control gun & tips.*

*Wand extension, gun controls and tips are either Standard or Corrosion-Resistant.

Standard Push-On Express Wand & Tip Kit:

- 18" brass straight wand 1-18" brass curved wand 1 - control gun with brass barb end, 1 - 1.0gpm brass fan tip 1 - 0.5gpm brass fan tip

Corrosion-Resistant Express Wand & Tip Kit:

1 - 12" poly straight wand, 1 - 18" poly curved wand, 1 - poly control gun, 1 - poly tip kit: 1 - 0.25gpm, 1 - 0.33gpm, 1 - 0.50gpm, 1 - adjustable cone nozzle

PN: 03201 - 12V DC CORROSION-RESISTANT KIT

REAL PUMP EXPRESS KITS

PN: 03200 - 12V DC STANDARD KIT PN: 03100 - 120V AC STANDARD KIT PN: 03101 -120V AC CORROSION-RESISTANT KIT PN: 03301 - 230V AC CORROSION-RESISTANT KIT PN: 03300 - 230V AC STANDARD KIT

Check out the Power Sprayer Extras for additional hose extenion kits, guns, wands, tips & more.











STRAIGHT EXTENSIONS & CURVED WANDS



PN: 64001

18in. Straight Brass Wand Extension



PN: 64011

18in. Curved Brass Wand, Male

SPRAY CONTROL GUNS



PN: 66400

Brass Spray Control Gun w/ Quick Connect



PN: 61034

Brass Spray Control Gun with Brass Bard End

POLY SPRAY PARTS



PN: 61032 Poly Shutoff w/ 3/8in. Hose Barb



PN: 64200 12in. Straight Poly Wand, Male



PN: 64211 18in. Curved Poly Wand, Male



PN: 64230 Adjustable Poly Cone Nozzle, Female



PN: 65270 Poly Tip Kit



PN: 66200

Poly Shutoff Assembly w/Male Quick Connect

PN: 66100

Spray Control Gun w/ Quick Connect and Spray Tip Storage



PN: 66000

Spray Control Gun w/ 3/8" SlipOn End

and Spray Tip Storage



PN: 66300

Spray Control Gun w/ Quick Connect

for Telescoping Handle

SPRAY TIPS & NOZZLES



PN: 65150

0.1 gal per min Brass Fan Tip, Female



PN: 65100

0.2 gal per min Brass Fan Tip, Female



PN: 65110

0.5 gal per min Brass Fan Tip, Female



PN: 65120

1 gal per min Brass Fan Tip, Female



PN: 65130

Adjustable Brass Cone Nozzle, Female



PN: 65140

Adjustable Brass Fan Tip, Female

Manufactured by:

progressivesolutions



HOSES



PN: 01018

100 ft. Hose, no fittings for use with barb connections



PN: 01093

50 ft. Hose, no fittings for use with barb connections



PN: 01119

25 ft. Hose, no fittings for use with barb connections

POWER SPRAYER KITS

TELESCOPING SPRAY LANCES



PN: 69100 REAL Pump Stock Wand Kit Includes: 1-18in. Curved Brass Wand, Male 1-18in. Straight Brass Wand Extension 1- 0.1 gpm 80 deg. Brass Fan Tip, Female 1- 0.2 gpm 80 deg. Brass Fan Tip, Female 1- 0.5 gpm 80 deg. Brass Fan Tip, Female

1-1 gpm Brass Fan Tip, Female

1- Adjustable Brass Cone Nozzle, Female

1- Adjustable Brass Fan Tip, Female



PN: 69104

The REAL Pump Poly Shutoff and Wand Kit Includes:

1-18in. Curved Poly Wand, Male 1-12in. Straight Poly Wand, Male

1-Poly Shutoff Assembly w/Male Quick Connect

1-Adjustable Poly Cone Nozzle, Female



PN: 69106 Standard Push-On EXPRESS Wand & Tip Kit Includes:

1-18in. Brass Straight Wand Extension 1-18in. Brass Curved Wand, Male 1-Control Gun with Brass Barb End


1-1.0gpm Brass Fan Tip 1-0.5gpm Brass Fan Tip



PN: 69107 Standard Quick Connect EXPRESS Wand & Tip Kit Includes:

1-18in. Brass Straight Wand Extension 1-18in. Brass Curved Wand, Male 1-Control Gun with Quick Connect End

1-1.0gpm Brass Fan Tip 1-0.5gpm Brass Fan Tip



PN: 69108

Corrosion-Resistant EXPRESS Wand & Tip Kit Includes:

1-12in. Poly Straight Wand Extension

1-18in. Poly Curved Wand, Male

1- Poly Control Gun with 3/8" Hose Barb

1-Poly Tip Kit including: 1-0.25gpm, 1-0.33gpm, 1-0.50gpm

1-Poly Adjustable Cone Nozzle



RECIRCULATOR KIT- PN: 67000

The pressure activated re-circulator is a must-have for spraying products that need continuous circulation. Designed for power sprayers, it has durable all brass construction and 2 (two) 5/8" hose clamps for installation.



PN: 69101

100 ft. Hose Extension Kit



PN: 69102

100 ft. Hose Replacement Kit



PN: 69103

50 ft. Hose Extension Kit



PN: 69105

25 ft. Hose Extension Kit



PN: 64225

8'-24' Adj. Spray Lance - Green

PN: 64235

6'-12' Adj. Spray Lance - Green

This 8lb. (3.5 kgs.) adjustable spray lance makes extended hight & distance applications easy to reach up 40 feet (12.2 m). Each lance includes:

- Composite Fiberglass, telescoping pole
- Interchangable, quick connect spray tips:
 - 1 gpm 110 deg. fan tip
 - Adjustable Cone nozzle
- Large, comfort grip spray control handle
- High impact, fully adjustable plastic spray tip holder
- Heavy duty chemical/crush resistant hose





INJECTOR KIT- PN: 68000

Designed specifically for injecting chemicals, soaps and KLEEN KOTE into the water of your power washing system, this injector threads on to the high pressure or output side of your pump. It has 2 (two) adjustment knobs, 8 feet of chemical resistant vinyl hose and all solid brass fittings.

Providing progressivesolutions For Your Industry.



Providing progressivesolutions For Your Industry.